


ISSN 0024-8266

mnassa

monthly notes of the astronomical society of southern africa

Volume 79 Nos 11-12

December 2020



In this issue:

News Notes

40 years of seasons on Saturn
Radio Astronomy in South Africa
Streicher Asterisms

EDITORIAL BOARD	Mr Case Rijdsijk (Editor, <i>MNASSA</i>) Mr Auke Slotegraaf (Editor, <i>Sky Guide Africa South</i>) Mr John Gill (Webmaster) Mr James Smith (Web Manager) Dr I.S. Glass (Member, S A Astronomical Observatory) Dr V. McBride (Member, OAD-IAU) Mr Maciej Soltynski (Book Review Editor) Prof B. Warner (Member, University of Cape Town)
MNASSA PRODUCTION	Mr Case Rijdsijk (Editor, <i>MNASSA</i>) Dr Ian Glass (Assistant Editor) Mr Willie Koorts (Publication on Web)
EDITORIAL ADDRESSES	MNASSA, PO Box 9, Observatory 7935, South Africa Email: mnassa@sao.ac.za Web Manager: smi.james.th@gmail.com MNASSA Download Page: www.mnassa.org.za
SUBSCRIPTIONS	<i>MNASSA</i> is available for free on the Internet
ADVERTISING	Advertisements may be placed in <i>MNASSA</i> at the following rates per insertion: full page R400, half page R200, quarter page R100. Small advertisements R2 per word. Enquiries should be sent to the editor at mnassa@sao.ac.za
CONTRIBUTIONS	<i>MNASSA</i> mainly serves the Southern African astronomical community. Articles may be submitted by members of this community or by those with strong connections. Else they should deal with matters of direct interest to the community. <i>MNASSA</i> is published on the first day of every second month and articles are due one month before the publication date.
RECOGNITION	Articles from <i>MNASSA</i> appear in the NASA/ADS data system.

Cover caption

One of the 64 antennas of the MeerKAT radio telescope array in Carnarvon, Northern Cape. (See article on page 162) Photo courtesy SRAO.



mnassa

Vol 79 Nos 11-12

December 2020

News Note: Special issue of NRF “Science Matters”

The National Research Foundation has compiled a special issue of their magazine “Science Matters” to commemorate the 200th anniversary of the Cape Town Observatory. It contains a number of articles, some of them general, such as “The SAAO in the 21st Century” and “Highlights of Astronomy in South Africa before 1972”. Others concern contemporary astronomy such as Transients, The Intelligent Observatory, Galaxy evolution, Black Hole Shadows, Gamma-ray Bursts, Cosmology and Big Data

The link to the magazine is:

www.nrf.ac.za/content/nrf-science-matters-magazine-vol-3-issue-3

News Note: “Rising Star” - New Planetarium Show

Today, 19 October 2020, saw the premiere of the highly anticipated locally produced planetarium film ‘Rising Star’ at the Iziko Planetarium and Digital Dome. The film was supported by the South African Astronomical Observatory (SAAO) and the South African Radio Astronomy Observatory (SARAO) and was produced by the South African based company VR Capture. This 24-minute full-dome film offers the viewer an engaging and fully immersive 360-degree glimpse into the world of South African Astronomy.

Rising Star takes you on an astronomical journey from our beginnings through the development of astronomy research in South Africa and looks at what the future of astronomy holds for the country. In addition to introducing multi-wavelength and multi-messenger astronomy, it highlights the many remarkable facilities hosted in South Africa along with some of their latest results. This includes unrestricted views of the Southern African Large Telescope and the most powerful radio telescope in the Southern Hemisphere, MeerKAT.

The film is accessible to all ages and aims to excite both South African and International audiences about South African astronomy and inspire the next generation of astronomers in the country.

As the first of its kind to be produced in Africa, Rising Star hopes to stimulate the production of many more locally produced planetarium films from multidisciplinary fields, with the goal of popularising Africa's numerous scientific achievements.

Rising Star will be shown to the public in South Africa from November onwards. The film (in both fulldome and full VR format) will also be made freely available via online channels for international audiences to download where language translations will be encouraged for greater global accessibility and exposure.

See the following site for the press release and trailer:

<https://www.sao.ac.za/2020/10/19/the-premiere-of-new-planetarium-film-rising-star/>

Recording the seasons on Saturn for 40 years

Barbara Cunow ASSA (Pretoria Centre)

Barbara.Cunow@gmail.com

Saturn observations from 1980 until 2020

It is very rewarding to record how the appearance of Saturn changes over a long period of time. Fig. 1 shows Saturn observations between 1980 and 2020. The telescope used was a 15 cm Newtonian reflector. Until 2016, Saturn was observed visually and drawings were made of the observations. From 2017 onwards, Saturn was imaged using a small webcam attached to the eyepiece. The first observation was made on November 1, 1980, the last on 2 November 2020. In all individual drawings/images, north is up and east is to the left.

This long-term observing project of Saturn covers 1.3 orbits of the ringed planet around the Sun, i.e. it shows 1.3 cycles of Saturn's seasons. One can see clearly how the orientation of the rings relative to the observer varies according to the season on Saturn.

These observations are an example of what can be done with a small telescope and moderate equipment. More details about this project are given in Cunow (2011).

Reference

Cunow, B, 2011. "Observing Saturn for 30 years – light, shadows and seasons", *MNASSA*, **70**, 19.




Fig.1. Saturn between 1 November 1980 and 2 November 2020. North is up and east to the left.

Radio Astronomy in South Africa

I.S Glass (SAAO)

Abstract: Radio Astronomy in South Africa is currently undergoing rapid expansion and is already producing results that rival those from the optical observatories. Here its historical development and some recent installations are described in brief.

Early Radio Astronomy

Radio astronomy in South Africa started with a small group at Rhodes University around 1960. Its main activity was to monitor and understand the decametric radiation from Jupiter, for which John A Gledhill produced a theoretical model.

This group was led by Eddie Baart and Gerhard de Jager and produced a number of students who either pursued careers abroad in radio astronomy or were among the first radio astronomers to work at Hartebeesthoek.

With the great recent interest in radio astronomy generated by the MeerKAT telescope and the forthcoming Square Kilometer Array (SKA), this group has expanded greatly and since now has been known as the Rhodes Centre for Radio Astronomy Techniques and Technologies (RATT), headed by Justin Jonas and Oleg Smirnov.

Rhodes is involved in many of the ongoing surveys with MeerKAT and the extraction of different kinds of data from them. They also work on the combination of data from multiple antennas, that is, effectively turning a group of separate dishes into one huge dish by computers. They also study the output of HERA (Hydrogen Epoch of Reionization Array) that has its own special problems of data extraction. The goal of this experiment is to picture the Universe at different values of the redshift z , corresponding to the times over which the re-ionization took place.

Hartebeesthoek

The Radio astronomy observatory at Hartebeesthoek (normally abbreviated to HartRAO) started its existence in 1961 as NASA Deep Space Station 51 for receiving satellite signals. It was operated on NASA's behalf by the CSIR's (Council for Scientific and Industrial Research) National Institute for Telecommunications Research. The facility then consisted of a 26m antenna. George D Nicolson, one of the South African engineers involved, used it for radio astronomical research when it was not in use by NASA. On the withdrawal of the latter in 1974-5 it was transformed into a radio

astronomy observatory within the CSIR under Nicolson. Rhodes University received 20% of the observing time. In 1988 it became part of the Foundation for Research Development, similarly to the SAAO. The FRD was later renamed the National Research Foundation.

Nicolson was director 1988-2003 and was succeeded in turn by Justin Jonas, Roy Booth and Michael Gaylard. HartRAO now forms part of SAAO (South African Radio Astronomy Observatory)



Fig 1. The Hartebeesthoek 26m radio telescope (Photo: HartRAO)

For radio astronomy purposes the receiving equipment had to be constructed anew. This included a gain-stabilised radiometer for mapping the Milky Way and making flux measurements on radio galaxies, a 256-channel spectrometer, equipment for the timing of pulsars and for Very-Long Baseline interferometry (VLBI). The latter permits the combination of telescopes far apart on the Earth to give ultra-high angular resolution. Receivers for celestial masers work at 4.7 and 6GHz (6.4 and 5 cms wavelength). Some of the projects included: mapping of the Milky Way at 960MHz (31cm wavelength) and 2300MHz (13cm). The second of these was of great importance to early studies of the 3° cosmic microwave background radiation by the COBE satellite – in removing the foreground radio emissions to reveal the Big Bang remnant radiation.

A particular subject well-suited to study with the 26m telescope is long-timescale variability. This has included the X-ray emitting binary star Cir X-1 which was also observed extensively at SAAO in the infrared. Distant galaxies with radio-emitting jets have been followed for variability.

Long-term monitoring of pulsars reveals little understood “glitches” or sudden changes in their periods.

Maser sources include hydroxyl radicals (OH) in the shells of matter given off by cool variable stars in the late stages of their evolution but also ammonia (NH₃) found in the regions where stars are currently forming.

Accurate positional information of objects in the sky is now based on a network of quasars, which are extremely distant radio sources. This is the “International Celestial Reference Frame”. Quasars are so distant that they do not show any appreciable relative movement, unlike the stars in the Milky Way galaxy that form the Fifth Fundamental Catalogue (FK5) and the like. The level of precision now attainable is a

by-product of the VLBI programmes. It accurate to of order one thousandth of an arcsec.

VLBI has also allowed the position of the Hartebeesthoek telescope to be determined to below 1 mm. This is used to define the zero point for the country's geodetic surveys. It is found to be moving North at 25 mms per year as a result of the movement of the underlying African tectonic plate. A satellite laser ranger is also on-site.

The Observatory also operates receivers for the Global Navigation Satellite Systems (GNSS) – GPS (USA), GLONASS (Russia) and Galileo (Europe).




Fig 2. Annual movement of radio telescopes, measured by geodetic VLBI. The Hartebeesthoek telescope moves North-East at 2.5 cm per year. Tectonic plate boundaries are shown as brown lines (Photo: HartRAO web site).

The SKA Project

The Square Kilometer Array Observatory (SKA) is a well-publicised international project conceived in 1991. It will comprise a number of radio telescopes in South Africa and Australia having 1 km² of collecting area. Unfortunately it has taken a long time to reach fruition. It is now an intergovernmental organisation established by a treaty. The only other similar organization in astronomy is the European Southern Observatory.

The founding members who signed the treaty on 12 March 2019 are Australia, China, Italy, Portugal, the Netherlands, South Africa, and the United Kingdom. Each country has to ratify the treaty.

The SKA headquarters are at Jodrell Bank radio observatory in the UK. Dr Catherine Cesarsky is Chairman of the Board of Directors and Prof Phil Diamond is its Director-General. Bernie Fanaroff was the Director of the South African SKA project until 2016 and was succeeded by Rob Adam.

There will be two observing sites: (1) SKA1-MID, covering 350MHz to 24 GHz, in South Africa (2) Australia: SKA1-LOW, covering 50-300 MHz in Western Australia. This split is the result of intense competition between countries as to which should be the host.

The first phase, with about 10% of the total area is due to start in 2020. Full completion is hoped for about 2030

South African participation in the SKA is through SARAQ, the South African Radio Observatory which manages all radio astronomy in South Africa including the facilities at Carnarvon in the Karoo and the older establishment HartRAO. The headquarters of this organisation are in Observatory, Cape Town.

SKA MID

This is the part of the SKA project based in South Africa (at Carnarvon). The current projection is that it will consist of 133 antennas combined with the 64 already existing ones of MeerKAT, for a total of 197.

The wavelength coverage of the receivers will be 350Mhz – 14GHz or 85 – 2 cms.

MeerKAT

The MeerKAT telescope is currently the major installation at the SKA site and has already made many unique contributions to astronomy. It is wholly South African owned. In its current form it is an array of 64 antennas on the SKA site located between Carnarvon and Brandvlei in the Groot Karoo. It was erected at a cost of R4.4



billion and was officially inaugurated in July 2018 by the Vice-President of South Africa, David Mabuza.

Fig 3. The MeerKAT Array at Dusk (Photo: SARAQ.

MeerKAT has been functioning since 2018. By 2022 it will be expanded by another 20 dishes, half sponsored by Germany, at a further cost of R800 million. The extra 20 dishes to be installed will expand the distances up to 17km apart to increase the detail visible. They will also increase the sensitivity by about 50%. Ultimately, the MeerKAT will be merged into the SKA telescope.

Each antenna is 13.5m in diameter. The main “mirror” of each reflects the radio waves to the secondary that, in turn reflects them to the radio receiver. This design is

called an “Offset Cassegrain”, since in the traditional Cassegrain design the secondary is on the main axis of the primary. This version has the advantage that there is no metal in the incoming beam that may add to the background “seen” by the receiver.

The rms accuracy of the primary – a measure of its bumpiness – is 0.6mm.

Each antenna weighs 42 tons and all must be driven in lockstep to follow a particular part of the sky. They are located within a range of 29m to 8km from each other and their layout must cover all azimuth angles to obtain coverage at each position angle



on the sky. Their separations control how fine is the detail that can be observed – close spacing gives the coarse detail while far spacing gives the fine.

Fig 4. A single MeerkAT antenna. The radio signals bounce off the big dish onto the smaller one at right and then into the receiver just below the small one (Photo: SARA0).

The receivers at present cover 1.0 to 1.75GHz (30cm to 17cm wavelength – the so-called L-band). Ultimately there will be three interchangeable receivers on each antenna to give coverage from 2cm to 50cm.

MeerkAT Observing Programmes

MeerkAT is mostly devoted to carrying out large programmes of a survey nature. These often involve several collaborators from different countries: most astronomical facilities worldwide welcome such international collaboration.

LADUMA: Looking at the Distant Universe with the MeerkAT Array – ultradeep survey of neutral hydrogen in the early universe.

ThunderKAT: Hunt for dynamic and explosive radio transients with MeerkAT – e.g. γ -ray bursts, novae and supernovae; new types of transient radio sources.

MeerkAT DEEP2 Survey (Mauch et al, *Ap J* **888**, 61M, 2020). This survey was made at a wavelength of 23cm and took 130 hours. The faint objects are very distant galaxies that account for most of the star formation in the universe. These results show that the rate of star formation at its maximum around 3.5 million years after the Big Bang was even larger than previously believed.



Fig 5. MeerKAT DEEP2 Survey. This image is the deepest survey ever made at these frequencies and is the deepest image of distant star-forming galaxies (Photo: SARA0).





Fig 6. MeerKAT radio image of a 2° x 1° region around the Galactic Centre. Especially notable are the many filaments, a manifestation of synchrotron radiation from high-energy electrons spiraling along magnetic field lines (Photo: MeerKAT, SARA0).



*Fig 7. A radio image of the central portions of the Milky Way galaxy at 23cms. The plane of the galaxy is marked by a series of bright features, exploded stars and regions where new stars are being born, and runs horizontally through the image. The black hole at the centre of the Milky Way is hidden in the brightest of these extended regions. The radio bubbles discovered by MeerKAT extend vertically above and below the plane of the galaxy. Many magnetised filaments can be seen running parallel to the bubbles. (Adapted from results published in Heywood et al. (Nature **573**, 235, 2019; Photo: SARA0.).*

KAT



Fig 8. The Karoo Array Telescope (KAT) is an array of 7 antennas intended as a demonstrator project. Since MeerKAT (more KAT) started working it has been mothballed.

C-BASS

The C-Band All Sky Survey (C-BASS) is mapping the whole sky in temperature and polarization at 4.76GHz (6.3cm), with an angular resolution just 45 arcmin. The Southern part is being conducted at Klerefontein, just outside Carnarvon, away from the site of the other radio telescopes. Its main aim is to allow accurate subtraction of the Galactic synchrotron radiation that contaminates the 3° Cosmic Microwave Background polarization experiments observed at much shorter wavelengths by the Planck satellite.

C-bass also includes a Northern part at the Owens Valley Radio Observatory in California. This portion has already been completed.




Fig 9. The three degree radiation left over from the Big Bang as measured by the Planck satellite at millimeter wavelengths that cannot be observed from within the Earth's atmosphere. Measurements at 5GHz (6cm) and other wavelengths are necessary to separate radiation arising in our own galaxy from that due to the Big Bang. This and the next map are in "Galactic Coordinates" so that the "equator" corresponds to the Milky Way.




Fig 10. The Southern hemisphere data from C-BASS at 6cm to date. Most of this is “Synchrotron Radiation” whose effects extend to the mm-region wavelengths observed by the Planck satellite). The bar at the bottom is “antenna temperature”, a measure of brightness used by radio astronomers (courtesy Prof J Jonas, Rhodes University).



Fig 11. The C-bass antenna at Klerefontein near Carnarvon. It has a diameter of 7.6m and was donated by Telkom.

The survey is a collaboration between the [University of Oxford](#), [University of Manchester](#), the [California Institute of Technology](#), the [Hartebeesthoek Radio Astronomy Observatory \(HartRAO\)](#), and the [King Abdulaziz City for Science and Technology](#).

Interferometry – The Key Technology used in Radio Telescope Arrays



Fig 12. The support buildings at the SARAQ site, including the Karoo Array Processor Building where powerful computers assemble the signals from the individual antennas (Photo: SARAQ).

Whether considering the SKA, the MeerKAT, HERA or HIRAX, The combination of the signals from the individual antennas to make one large antenna is a very complex process requiring state-of-the-art computers. The relative

positions of each antenna surface have to be known to a small fraction of a wavelength. Technically, the correlations between the signals from each antenna (the fringe visibilities) undergo a “spatial Fourier transform” to make a radio picture of the relevant part of the sky.

For MeerKAT “the receiver outputs are digitized immediately at the antenna 2 x 1712 million times per second and the digital data streams are sent to the Karoo Array Processor Building (KAPB) via buried optical fibre cables. The antenna signals are first processed by the Correlator/Beamformer (CBF) digital signal processor. Data from the CBF is passed on to the Science Processor computer cluster and disk storage modules. The MeerKAT antenna data is also made available to a number of user-supplied digital backends via the CBF, including pulsar and fast radio burst (FRB) search engines, a precision pulsar timing system, and a SETI (Search for Extraterrestrial Intelligence) signal processor. A time and frequency reference (TFR) system provides clock and absolute time signals required by the digitizers and other telescope subsystems. This TFR system comprises two hydrogen maser clocks, two rubidium atomic clocks, a precise crystal oscillator, and a set of GNSS (Global Navigation Satellite System) receiver systems for time transfer with UTC.

“The massive computing and digital signal processing systems located at the KAPB are housed in a large shielded chamber to prevent radio signals from the equipment interfering with the sensitive radio receivers. The KAPB itself is partially buried below ground level to provide additional radio frequency interference (RFI) protection, and to provide temperature stability. The KAPB also houses a power conditioning facility for the entire site, including three diesel rotary UPS units that provide an uninterrupted power supply to the whole site.

“A long-haul optical fibre transfers data from the KAPB to the Centre for High Performance Computing (CHPC) and SARAo office in Cape Town, and provides a control and monitoring link to the SARAo operations centre in Cape Town. Telescope data processing and reduction is executed on computing facilities provided by the MeerKAT SP systems, and on other high performance computer facilities provided by MeerKAT users.”

HIRAX

HIRAX, a future installation, stands for Hydrogen Intensity and Real-time Analysis Experiment.



Fig 13. Prototype antennas for HIRAX under test at Hartebeesthoek (Photo credit: SARAo).

HIRAX is similar in intention to HERA but concentrates on redshifted 21-cm neutral hydrogen radiation from material dating back 2-6 billion years, i.e., the more recent Universe where the Hubble expansion changed from decelerating to accelerating.

The Expansion of the Universe is known to be accelerating due to the effects of the mysterious Dark Energy and Dark Matter.

Its frequency coverage will be 400-800 MHz or wavelengths of 38-75cms, that is, at shorter wavelengths than HERA. It will have 1024 semi-fixed antenna of 6m diameter (in 2020s) and will map 1/3 of the sky daily over 4 years

HIRAX will also search for “Fast Radio Bursts” – little understood transient radio sources. Also pulsars.

It is managed by UKZN with many other national and international participants

HERA¹



Fig 14. Artist's impression of the Hydrogen Epoch of Reionization Array (HERA) when completed (Image: University of California, Berkeley website).

One of the most exciting cosmological projects at present, this telescope is dedicated to understanding the large-scale structures formed during the earliest observable stages of the Universe. It asks which objects first lit up the intergalactic medium by reionizing the neutral hydrogen and at what redshifts this occurred.

Ultimately HERA will have about 350 fixed dishes of 14m diameter and it is currently being developed in phases. Promising results have already been obtained from the first 47 dishes to have been completed. It functions as an interferometer, scanning about 440 square degrees of the sky. The signals are processed in the Karoo Array Processor Building.

Hydrogen radiation has an un-redshifted wavelength of 21cm and this telescope will be able to observe it when redshifted into the range 600 to 1200cm, corresponding to $z = 6$ to 30. HERA's direct aim is to extract the large-scale structure of the primordial inter-galactic medium at different redshifts.

¹ 2017 DeBoer, DR et al, <https://iopscience.iop.org/article/10.1088/1538-3873/129/974/045001>

The signal from hydrogen at the epoch of reionisation is expected to be very weak and must be separated from foreground contamination by essentially all foreground objects. This can possibly be done for a range of angular and spatial scales.

HERA is funded by the National Science foundation (USA) and the Gordon and Betty Moore Foundation. The HERA collaboration consists of Arizona State University, Brown University, Cambridge University, the Massachusetts Institute of Technology, the National Radio Astronomy Observatory, Scuola Normale Superiore (Pisa), Square Kilometre Array South Africa (SKA SA), University of California at Berkeley, the University of California at Los Angeles, the University of Pennsylvania, and the University of Washington. Participating South African institutions include Rhodes University, the University of KwaZulu-Natal, the University of the Western Cape and the University of the Witwatersrand.

PAPER



Fig 15. Paper was a relatively simple precursor array located on the SKA site with the same aim as HERA. It was too small and insensitive to achieve the desired aim and has now been superseded (Photo: University of California Berkeley Astronomy Website).

Acknowledgments

Prof Justin Jonas (Rhodes) and Dr Fernando Camilo (SARAO) are thanked for providing information. The web sites of SARAO and other institutions have also provided useful information.

Streicher Asterisms 41-45


Magda Streicher

STREICHER 41 – DSH J2126.9-7753 Octans

A degree south-west of nu Octantis another arc-shape grouping can be spotted against a bare star field. Although this handful of stars in combination with the surrounding field stars perhaps create multiple impressions. This proud asterism shares its place against the starry skies in our southern pole constellation, a nice surprise.

OBJECT	TYPE	RA	DEC	MAG	SIZE
STREICHER 41 DSH J2126.9-7753	Asterism	21h26m.54	-77°53'.00	9	12'

Picture credit: DSS



STREICHER 42 – DSH J1851.5-7212 Pavo

Obvious knot of a lovely tight elongated grouping in an east to west direction. The brightest star towards the middle area draw the attention immediately. Fainter stars extended further north giving it a larger impression. In a way this grouping truly gave the impression of a small cluster. Checking out the position angle of the star's movement through space for interest they vary between 300 and 348 degrees. Half a degree south-west the close pair of galaxies IC 4747 and IC 4746 is worth a look at.

OBJECT	TYPE	RA	DEC	MAG	SIZE
STREICHER 42 DSH J1851.5-7212	Asterism	18h51m.30	-72°12'.00	9	11'

Picture credit: DSS




STREICHER 43 – DSH J1920.5-6954 Pavo

This asterism consists of a hand full of mixed magnitude stars clearly lifted out against the visible star field. In a way it appears to be in a somewhat Y-shape, situated against a very crowded faint star field. To search out these groupings is great fun and one stands amazed to the uniqueness of gatherings that is possible by chance.

OBJECT	TYPE	RA	DEC	MAG	SIZE
STREICHER 43 DSH J1920.5-6954	Asterism	19h20m.30	-69°54'.36	9	5.5'

Picture Credit: DSS




STREICHER 44 – DSH J2123.1-6447 Pavo

If you've ever wanted to see a question mark in the sky, this is it. The grouping is an east to west formation with the open side towards the north. The question mark dot

HD 203262 is the magnitude 8.4 star towards the east. Three equally faint stars form a lovely close triangle in the southern field of view. Barely a degree north-west is the galaxy IC 5092 which shows the way to this heavenly starry question mark.

OBJECT	TYPE	RA	DEC	MAG	SIZE
STREICHER 44 DSH J2123.1-6447	Asterism	21h23m.08	-64°47'.54	9	12'

Picture Credit: DSS



STREICHER/RENOU 45 – DSH J0815.7-2310 Puppis

Searching for star groups or asterisms in very dense star-filled areas is quite a challenge at times. But this uneven line of relatively brighter stars in a north-west to

south-east direction appears at least slightly brighter than this piece of Milky Way spiral arm fragment.

OBJECT	TYPE	RA	DEC	MAG	SIZE
STREICHER 45 DSH J0815.7-2310	Asterism	08h15m.44	-23°10'.48	9	7'

Picture Credit: DSS



Annual Index 2020

Editorial Note

77

News Notes

EPFL (Switzerland) Joins SKA Organisation	1
Germany investing R400 million to expand MeerKAT	3
New List of South African–based astronomers	4
Brian Warner at 80	5
River Club development	7
SALT contributes to a new understanding of novae	8
Unexpected features found in distant galaxy using MeerKAT	
MeerKAT and SALT observe mysterious stellar event	
“Clyde’s Spot” – A rare outburst on Jupiter	37
Clyde’s Spot	39
Accreting pulsar caught ‘powering up’	40
Science budget slashed, less money for SKA	42
Annular Eclipse 2020	43
MASTER observes Gamma-Ray burst afterglow	44
HST Image of Neowise	79
SAAO 200	81
Bi-Centenary of the South African Astronomical Observatory	109
SA Astronomer discovers new comet	137
Physics Nobel Prize goes to astronomers	138
New SALT Brochure	139
SAAO “Annual Review”	139
Special issue of NRF “Science Matters”	159
“Rising Star” - New Planetarium Show	159

Articles

Southern African Fireballs: Events # 326-334 (<i>Tim Cooper</i>)	12
New stamps glow with the stars of the southern skies (<i>Johan Kruger</i>)	15
How to Make a Cassegrain Secondary Mirror (<i>E. Takayanagi & C Stewart</i>)	18
Streicher Asterisms #23-25 (<i>Magda Streicher</i>)	31
Comet Swan C/2020 F8 (image & spectra) (<i>Percy Jacobs</i>)	47
Southern African Fireballs: Events # 335-349 (<i>Tim Cooper</i>)	49
The Elusive Sirius B (<i>Magda Streicher</i>)	57
Amateur Spectroscopy (<i>Percy Jacobs</i>)	59
Streicher Asterisms #26-30 (<i>Magda Streicher</i>)	71
C/2020 F3 (Neowise) (<i>Kos Coronaios</i>)	78
"Clyde's Spot" Update (<i>Clyde Foster</i>)	80
Chi Cygnids Meteor Shower 2020 (<i>Tim Cooper</i>)	82
Bright fireballs observed by CAMS@SA, Events 354 and 360 (<i>Tim Cooper & Phillip Mey</i>)	83
Southern African Fireballs: Events # 350-363 (<i>Tim Cooper</i>)	88

<i>(Tim Cooper & Phillip Mey)</i>	83
A rare methane-bright outbreak in Jupiter's South Temperate domain <i>(C Foster et al)</i>	96
Streicher Asterisms #31-35 <i>(Magda Streicher)</i>	104
SAAO200 Anniversary Symposium Abstracts (Editors)	111
Photometric measurements of three eclipsing binary stars <i>(David Blane)</i>	140
Southern African Fireballs: Events # 364-371 <i>(Tim Cooper)</i>	143
Streicher Asterisms #36-40 <i>(Magda Streicher)</i>	151
Recording the Seasons on Saturn for 40 years (Barbara Cunow)	160
Radio Astronomy in South Africa (Ian Glass)	161
Streicher Asterisms #41-45 <i>(Magda Streicher)</i>	173
Book Review	
"Night Skies of Botswana" by Stephen O'Meara, <i>Reviewed by Etienne Gouws</i>	70
ASSA Annual General Meeting	
ASSA Annual General Meeting	99
ASSA Annual General Meeting – Awards	99
ASSA General Meeting - Elected Officials 2020/2021	101
Colloquia and Seminar	32

The **Astronomical Society of Southern Africa** (ASSA) was formed in 1922 by the amalgamation of the Cape Astronomical Association (founded 1912) and the Johannesburg Astronomical Association (founded 1918). It is a body consisting of both amateur and professional astronomers.

Publications: The Society publishes its electronic journal, the *Monthly Notes of the Astronomical Society of Southern Africa (MNASSA)* bi-monthly as well as the annual *Sky Guide Africa South*.

Membership: Membership of the Society is open to all. Potential members should consult the Society's web page assa.saa.org.za for details. Joining is possible via one of the local Centres or as a Country Member.

Local Centres: Local Centres of the Society exist at Bloemfontein, Cape Town, Durban, Hermanus, Johannesburg, Natal Midlands, Pretoria and Sedgfield district (Garden Route Centre). Membership of any of these Centres automatically confers membership of the Society.

Sky & Telescope: Members may subscribe to Sky & Telescope at a significant discount (proof of membership is required). Please contact the Membership Secretary for details.

Internet contact details: email: assa@saa.ac.za Home Page: <http://assa.saa.ac.za>

Council Members 2020		
President	Chris Stewart	zamwgringa@mweb.co.za
Vice-President	Case Rijdsdijk	particles@mweb.co.za
Membership Secretary	Wilmi Nel	assa@ipsissimaverba.co.za
Treasurer	AJ Nel	assa@ajnel.co.za
Secretary	Lerika Cross	lerika@icon.co.za
Scholarships	Dr Claire Flanagan	Claireflan55@gmail.com
Members	Clyde Foster	clyde@icon.co.za
	Dr Peter Kotze	pkotze@sansa.org.za
	Dr Ian Glass	glass.ian@gmail.com
Bloemfontein Chair	Thinus van der Merwe	Mjvdmerwe@ufs.ac.za
Cape Chair	Marius Reitz	ReitzM@gmail.com
Durban Chair	Piet Strauss	pstrauss@marine-images.co.za
Garden Route Chair	Case Rijdsdijk	particles@mweb.co.za
Hermanus Chair	Dr Pierre de Villiers	pierredev@hermanus.co.za
Johannesburg Chair	Carmel Ives	Carmel.t.ives@outlook.com
Midlands Chair	Steffan Devos	sdevos@webbis.co.za
Pretoria Chair	Bosman Olivier	Bosman.olivier@gmail.com
Section Directors		
A - Shallow Sky	Clyde Foster	clyde@icon.co.za
B1 - Deep Sky	Douglas Bullis	douglasbullis@gmail.com
B2 – Double and Variable Stars	Dave Blane	theblanes@telkomsa.net
C - Photometry, Spectroscopy	Percy Jacobs	percymj@iafrica.com
D - Cosmology/Astrophysics	Bruce Dickson	noisejammer@gmail.com
E - History	Chris de Coning	Siriusa@absamail.co.za
F - Dark Sky	Vacant	
G - Imaging	Martin Heigan	mheigan@icon.co.za
H – Instrumentation and ATM	Chris Stewart	mwgringa@mweb.co.za
I – Citizen Science	Allen Versfeld	Allan.versfeld@gmail.com

mnassa

monthly notes of the astronomical society of southern africa

Volume 79 Nos 11-12

December 2020

CONTENTS

News Note: Special issue of NRF “Science Matters”	159
News Note: “Rising Star” - New Planetarium Show.....	159
Recording the seasons on Saturn for 40 years	160
Radio Astronomy in South Africa	162
Streicher Asterisms 41-45	173
Annual Index 2020	177